



**EASEL**

**PRODUCT CATALOGUE**



**AUTOMOTIVE, INDUSTRIAL,  
LUBRICANTS AND GREASE**



# EASEL



EASEL stands at the forefront as a premier brand of high-performance lubricants, committed to pioneering innovation and relentless advancement. Our extensive array of cutting-edge products caters to the demanding needs of both automotive and industrial sectors, solidifying EASEL's reputation as an industry leader.

What sets EASEL apart is our unwavering dedication to placing customers at the heart of everything we do. We continuously strive to anticipate and exceed their expectations, ensuring unparalleled satisfaction and loyalty.

At the core of our operations lies our state-of-the-art, ISO-certified production facility strategically nestled in the vibrant hub of Ajman, UAE. This prime location empowers us to seamlessly cater to the dynamic requirements of our diverse global clientele, delivering excellence with precision and efficiency.

But our commitment extends far beyond mere production; it's about fostering enduring partnerships, driving innovation, and shaping the future of lubrication technology. With EASEL, you're not just selecting a lubricant; you're choosing a trusted ally in your journey towards peak performance and success.



# EASEL

## TABLE OF CONTENTS

04	DIESEL ENGINE OIL
10	PETROL ENGINE OIL
15	MOTORCYCLE OIL
16	AUTOMATIC TRANSMSSION FLUID
18	GEAR OIL
19	BRAKE FLUID
20	Coolant/Anti-Freez
21	INDUSTRIAL OIL
22	GREASES
	WHITE OIL AND PETROLEUM JELLY



### API CK-4/SN **FULLY SYNTHETIC**

SAE GRADE **0W-30 0W-40 5W-30 5W-40**

Easel is a premium quality heavy-duty engine oil that helps extend engine life, allowing you to run your business with confidence and off-highway applications while delivering outstanding performance in modern high-output, low-emission engines fitted with EGR, DPF, DOC, and SCR - Ad-blue NOx reduction systems. The exceptional low-temperature fluidity and pumpability in combination with the sophisticated additive system ensure maximum engine wear performance and support longer engine life. Turbo X-Tra is designed for on-road vehicles meeting Euro VI and off-road vehicles meeting EU stage IIIA, IIIB, IV, and US Tier 4 emission standards.



#### Performance Levels (Meets & Exceeds):

- API CK-4/SN
- Caterpillar ECF-3
- Volvo VDS-4.5
- Cummins CES 20086
- MB 228.51/228.52
- ACEA E6/E7/E9 -16
- Deutz DQC IV-18 LA
- Renault RLD-4
- Scania Low Ash / LDF-4
- Mack EOS-4.5
- MAN M3677/M3777
- DDC 93K222
- MTU Type 3.1
- MB 228.51/228.52

### API CK-4/SN **SEMI SYNTHETIC**

SAE GRADE **10W-30 10W40**

Easel is a premium quality semi-synthetic heavy-duty engine oil that helps extend engine life, allowing you to run your business with confidence in off-highway applications while delivering outstanding performance in modern high-output, low-emission engines fitted with EGR, DPF, DOC, and SCR - Ad-blue NOx reduction systems. The exceptional low-temperature fluidity and pumpability in combination with the sophisticated additive system ensure maximum engine wear performance and support longer engine life. Turbo X-Tra is designed for on-road vehicles meeting Euro VI and off-road vehicles meeting EU stage IIIA, IIIB, IV, and US Tier 4 emission standards.



#### Performance Levels (Meets & Exceeds):

- API CK-4/SN
- Caterpillar ECF-3
- Volvo VDS-4.5
- Cummins CES 20086
- MB 228.51/228.52
- ACEA E6/E7/E9 -16
- Deutz DQC IV-18 LA
- Renault RLD-4
- Scania Low Ash / LDF-4
- Mack EOS-4.5
- MAN M3677/M3777
- DDC 93K222
- MTU Type 3.1
- MB 228.51/228.52

### API CK-4/SN **MINERAL OIL**

SAE GRADE **15W-40 20W-50 20W-60**

Easel is a premium quality heavy-duty engine oil that helps extend engine life, allowing you to run your business with confidence in off-highway applications while delivering outstanding performance in modern high-output, low-emission engines fitted with EGR, DPF, DOC, and SCR - Ad-blue NOx reduction systems. The exceptional low-temperature fluidity and pumpability, combined with a sophisticated additive system, ensure maximum engine wear performance and support longer engine life. Turbo X-Tra is designed for on-road vehicles meeting Euro VI and off-road vehicles meeting EU stage IIIA, IIIB, IV, and US Tier 4 emission standards.



#### Performance Levels (Meets & Exceeds):

- API CK-4/SN
- Caterpillar ECF-3
- Volvo VDS-4.5
- Cummins CES 20086
- MB 228.51/228.52
- ACEA E6/E7/E9 -16
- Deutz DQC IV-18 LA
- Renault RLD-4
- Scania Low Ash / LDF-4
- Mack EOS-4.5
- MAN M3677/M3777
- DDC 93K222

#### Available Pack:

12x1L 6x4L 4x5L 20L 25L 60L 200L 208L



### API CJ-4/SN **FULLY SYNTHETIC**

SAE GRADE **0W-30 0W-40 5W-30 5W-40**

Easel is a fully synthetic heavy-duty diesel engine oil that combines advanced engine protection for modern low-emission vehicles with enhanced fuel economy potential in modern diesel engines operating in severe conditions. The product meets the API CJ-4 specification by utilizing state-of-the-art technology to deliver exceptional performance in modern low-emission engines, including those with Exhaust Gas Recirculation (EGR), after-treatment systems with Diesel Particulate Filters (DPFs), and Diesel Oxidation Catalysts (DOCs). Turbo X-Max also offers excellent wear protection and deposit control, ensuring longer engine life and optimal performance. It is engineered to perform in extreme temperatures, maintaining viscosity and stability under the most demanding conditions.



#### Performance Levels (Meets & Exceeds):

- |                     |                    |                 |                             |
|---------------------|--------------------|-----------------|-----------------------------|
| • API CJ-4/SL       | • Volvo VDS-3      | • Cummins CES   | • MTU Type 2                |
| • ACEA E7, A3/B3/B4 | • Deutz DQC III-10 | 20076/20077/78  | • Allison C4                |
| • MB 228.3 / 229.1  | • JASO DH1         | • Global DHD-1  | • Caterpillar ECF 1a, ECF 2 |
| • MAN M3275-1       | • MACK EO-N        | • Renault RLD-2 | • DDC 93K215                |

### API CJ-4/SN **SEMI SYNTHETIC**

SAE GRADE **10W-30 10W40**

Easel is a semi-synthetic heavy-duty diesel engine oil that combines advanced engine protection for modern low-emission vehicles with enhanced fuel economy potential in modern diesel engines operating in severe conditions. The product meets the API CJ-4 specification by utilizing state-of-the-art technology to deliver exceptional performance in modern low-emission engines, including those with Exhaust Gas Recirculation (EGR), after-treatment systems with Diesel Particulate Filters (DPFs), and Diesel Oxidation Catalysts (DOCs). Easel also offers excellent wear protection and deposit control, ensuring longer engine life and optimal performance. It is engineered to perform in extreme temperatures, maintaining viscosity and stability under the most demanding conditions.



#### Performance Levels (Meets & Exceeds):

- |                     |                    |                 |                             |
|---------------------|--------------------|-----------------|-----------------------------|
| • API CJ-4/SL       | • Volvo VDS-3      | • Cummins CES   | • MTU Type 2                |
| • ACEA E7, A3/B3/B4 | • Deutz DQC III-10 | 20076/20077/78  | • Allison C4                |
| • MB 228.3 / 229.1  | • JASO DH1         | • Global DHD-1  | • Caterpillar ECF 1a, ECF 2 |
| • MAN M3275-1       | • MACK EO-N        | • Renault RLD-2 | • DDC 93K215                |

### API CJ-4/SN **MINERAL OIL**

SAE GRADE **15W-40 20W-50 20W-60**

Easel is a mineral heavy-duty diesel engine oil that combines advanced engine protection for modern low-emission vehicles with enhanced fuel economy potential in modern diesel engines operating in severe conditions. The product meets the API CJ-4 specification by utilizing state-of-the-art technology to deliver exceptional performance in modern low-emission engines, including those with Exhaust Gas Recirculation (EGR), after-treatment systems with Diesel Particulate Filters (DPFs), and Diesel Oxidation Catalysts (DOCs). Easel also offers excellent wear protection and deposit control, ensuring longer engine life and optimal performance. It is engineered to perform in extreme temperatures, maintaining viscosity and stability under the most demanding conditions.



#### Performance Levels (Meets & Exceeds):

- |                     |                    |                 |                             |
|---------------------|--------------------|-----------------|-----------------------------|
| • API CJ-4/SL       | • Volvo VDS-3      | • Cummins CES   | • MTU Type 2                |
| • ACEA E7, A3/B3/B4 | • Deutz DQC III-10 | 20076/20077/78  | • Allison C4                |
| • MB 228.3 / 229.1  | • JASO DH1         | • Global DHD-1  | • Caterpillar ECF 1a, ECF 2 |
| • MAN M3275-1       | • MACK EO-N        | • Renault RLD-2 | • DDC 93K215                |

#### Available Pack:

12x1L

6x4L

4x5L

20L

25L

60L

200L

208L



### API CI-4/SL **FULLY SYNTHETIC**

SAE GRADE **0W-30 0W-40 5W-30 5W-40**

Easel is an extra high-performance fully synthetic diesel engine oil developed to provide outstanding lubrication to modern, high-performance diesel engines operating in severe on- and off-highway applications. This product has been blended with premium quality base oils which provide excellent low-temperature fluidity, high-temperature viscosity retention, volatility control, and fuel economy improvement. These base oils are fortified with an advanced additive system which assures superior control of oil thickening caused by soot buildup and high-temperature oxidation. It is formulated to provide long oil drain intervals in modern diesel engines.



#### Performance Levels (Meets & Exceeds):

- API CI-4
- ACEA E7, E4
- MB 228.5
- MAN M3277
- Volvo VDS-3
- Scania LDF-2
- MACK EO-M Plus
- Cummins CES 20077/78
- Renault RXD/RLD-2
- MTU Type 3

### API CI-4/SL **SEMI SYNTHETIC**

SAE GRADE **10W-30 10W40**

Easel semi-synthetic diesel engine oil, meticulously crafted to deliver unparalleled lubrication for contemporary diesel engines tackling both rigorous on- and off-road challenges. Crafted with a blend of premium-grade base oils, Easel ensures exceptional low-temperature flow, steadfast viscosity retention under high temperatures, efficient volatility control, and notable fuel economy enhancements. Enhanced with an innovative additive package, this semi-synthetic formulation guarantees superior management of oil thickening due to soot accumulation and high-temperature oxidation, promoting prolonged engine health and performance. Engineered for extended oil change intervals, Easel semi-synthetic diesel engine oil is the optimal choice for maintaining peak engine efficiency in modern diesel vehicles.



#### Performance Levels (Meets & Exceeds):

- API CI-4
- ACEA E7, E4
- MB 228.5
- MAN M3277
- Volvo VDS-3
- Scania LDF-2
- MACK EO-M Plus
- Cummins CES 20077/78
- Renault RXD/RLD-2
- MTU Type 3

### API CI-4/SL **MINERAL OIL**

SAE GRADE **15W-40 20W-50 20W-60**

Easel mineral oil, a robust solution tailored to meet the demands of contemporary diesel engines navigating tough on- and off-road terrains. Crafted with high-quality mineral base oils, Easel ensures reliable performance with commendable low-temperature fluidity, steadfast viscosity maintenance at high temperatures, effective volatility control, and notable fuel efficiency enhancements. Fortified with an advanced additive system, this mineral oil formulation guarantees superior management of oil thickening caused by soot buildup and high-temperature oxidation, ensuring prolonged engine durability and performance. Engineered for extended oil change intervals, Easel mineral oil is the trusted choice for maintaining optimal engine health and efficiency in modern diesel vehicles.



#### Performance Levels (Meets & Exceeds):

- API CI-4
- ACEA E7, E4
- MB 228.5
- MAN M3277
- Volvo VDS-3
- Scania LDF-2
- MACK EO-M Plus
- Cummins CES 20077/78
- Renault RXD/RLD-2
- MTU Type 3

#### Available Pack:

12x1L 6x4L 4x5L 20L 25L 60L 200L 208L



### API CH-4/SJ **FULLY SYNTHETIC**

SAE GRADE **0W-30 0W-40 5W-30 5W-40**

Easel is a high-performance fully synthetic engine oil blended with premium quality base stock which is enhanced with an advanced multi-functional additive technology having a combination of metallic detergents, dispersants, and multi-purpose inhibitors. This oil assures superior control of oil thickening caused by soot buildup and high-temperature oxidation. It also provides outstanding resistance to varnish deposits and corrosion. Easel's cutting-edge formulation ensures optimal engine protection against wear and tear, extending the lifespan of critical components. Its advanced chemistry promotes efficient fuel combustion, contributing to enhanced engine efficiency and performance. Trusted by professionals worldwide, Easel stands as a testament to uncompromising quality and reliability.



#### Performance Levels (Meets & Exceeds):

- |               |                     |                  |                     |
|---------------|---------------------|------------------|---------------------|
| • API CH-4/SJ | • ACEA E7, A3/B3/B4 | • MTU Type 2     | • Cummins CES 20076 |
| • MB 228.3    | • VOLVO VDS-2       | • JASO DH1       | • DFS 93K215        |
| • MAN 3275    | • Renault RLD-2     | • Mack EO-M/EO-L | • DQC III-10        |

### API CH-4/SJ **SEMI SYNTHETIC**

SAE GRADE **10W-30 10W40**

Easel is a semi-synthetic engine oil, Easel offers a balanced blend of premium base stock and advanced additive technology. Engineered to combat oil thickening and oxidation, it effectively prevents soot buildup while maintaining superior engine cleanliness. With robust resistance against varnish deposits and corrosion, Easel safeguards engine integrity for prolonged durability. Its carefully crafted formula optimizes engine performance, ensuring efficient fuel utilization and dependable operation. Professionals worldwide rely on Easel's proven track record, setting the standard for quality and reliability in semi-synthetic lubrication.



#### Performance Levels (Meets & Exceeds):

- |               |                     |                  |                     |
|---------------|---------------------|------------------|---------------------|
| • API CH-4/SJ | • ACEA E7, A3/B3/B4 | • MTU Type 2     | • Cummins CES 20076 |
| • MB 228.3    | • VOLVO VDS-2       | • JASO DH1       | • DFS 93K215        |
| • MAN 3275    | • Renault RLD-2     | • Mack EO-M/EO-L | • DQC III-10        |

### API CH-4/SJ **MINERAL OIL**

SAE GRADE **15W-40 20W-50 20W-60**

In the realm of mineral engine oils, Easel stands out with its meticulously refined formulation. Crafted from high-quality base stock, it incorporates essential additives for reliable performance. Easel's specialized blend effectively controls oil thickening and mitigates the effects of high-temperature oxidation, ensuring prolonged engine life. With a steadfast defense against varnish deposits and corrosion, it upholds engine integrity even in demanding conditions. Easel's time-tested reliability and consistent performance make it a trusted choice among professionals seeking dependable mineral oil solutions.



#### Performance Levels (Meets & Exceeds):

- |               |                     |                  |                     |
|---------------|---------------------|------------------|---------------------|
| • API CH-4/SJ | • ACEA E7, A3/B3/B4 | • MTU Type 2     | • Cummins CES 20076 |
| • MB 228.3    | • VOLVO VDS-2       | • JASO DH1       | • DFS 93K215        |
| • MAN 3275    | • Renault RLD-2     | • Mack EO-M/EO-L | • DQC III-10        |

#### Available Pack:

12x1L

6x4L

4x5L

20L

25L

60L

200L

208L



### API CG-4/SJ **FULLY SYNTHETIC**

SAE GRADE **0W-30 0W-40 5W-30 5W-40**

Easel is a fully synthetic extra high-performance diesel engine oil designed for the most severe performance requirements of highly powered turbo-charged engines of leading automobile manufacturers. This oil is fuel-saving and reduces maintenance expenses for machines and engines. It resists oil thickening and the formation of carbon, varnish, and sludge deposits. It also helps prolong engine life. Easel diesel engine oil boasts superior performance in the most demanding conditions, ensuring optimal efficiency and longevity for turbocharged engines. With its advanced formulation, it minimizes wear and tear while maximizing power output, delivering unparalleled reliability on the road. Trust Easel to safeguard your engine, delivering unmatched performance and peace of mind mile after mile.



#### Performance Levels (Meets & Exceeds):

- API CG-4/SJ
- MAN 3275
- MACK EO-L
- MB 228.3
- VOLVO VDS
- Allison C4
- ACEA A3/B4
- MTU Type-2

### API CG-4/SJ **SEMI SYNTHETIC**

SAE GRADE **10W-30 10W40**

Easel Semi-Synthetic Diesel Engine Oil is crafted to deliver exceptional performance for turbocharged engines, meeting the rigorous demands of leading automobile manufacturers. It's designed to be fuel-efficient, reducing maintenance costs while ensuring peak engine performance. Formulated to combat oil thickening, carbon buildup, and sludge formation, Easel Semi-Synthetic prolongs engine life and maintains cleanliness. Its advanced blend offers superior protection in tough conditions, optimizing efficiency and durability for turbocharged engines. Count on Easel Semi-Synthetic to provide reliable performance and peace of mind on every journey



#### Performance Levels (Meets & Exceeds):

- API CG-4/SJ
- MAN 3275
- MACK EO-L
- MB 228.3
- VOLVO VDS
- Allison C4
- ACEA A3/B4
- MTU Type-2

### API CG-4/SJ **MINERAL OIL**

SAE GRADE **15W-40 20W-50 20W-60**

Easel Mineral Diesel Engine Oil is engineered to meet the high-performance needs of turbocharged engines from top automobile manufacturers. This oil is designed to be cost-effective, helping to save on maintenance expenses while ensuring reliable engine operation. It fights against oil thickening and the buildup of carbon, varnish, and sludge, promoting engine longevity. With its dependable formulation, Easel Mineral Oil provides solid performance in demanding conditions, maximizing efficiency and durability for turbocharged engines. Rely on Easel Mineral Oil for consistent performance and confidence mile after mile.



#### Performance Levels (Meets & Exceeds):

- API CG-4/SJ
- MAN 3275
- MACK EO-L
- MB 228.3
- VOLVO VDS
- Allison C4
- ACEA A3/B4
- MTU Type-2

#### Available Pack:

12x1L 6x4L 4x5L 20L 25L 60L 200L 208L





**API CF-4/SJ**

**SEMI SYNTHETIC**

SAE GRADE **10W-30 10W40**

Easel high-performance diesel engine oil combines premium base stock and specialized additives to cater to the demands of high-power engines. With its active-detergent system ensuring cleanliness, it safeguards pistons and vital engine components, promoting longevity and efficient performance. Engineered to meet the standards of manufacturers across the US, Europe, and Japan, Easel sets the benchmark for reliability and quality in engine protection. Trust Easel to deliver unparalleled performance and peace of mind, no matter the driving conditions or terrain.



**Performance Levels (Meets & Exceeds):**

- API CF-4/SJ
- MB 228.2
- ACEA E2-96, A3/B3
- MTU Type-2
- MAN 3275-1
- VOLVO VDS
- MACK E0/K2
- CES 20075/74/73

**API CF/SF**

**MINERAL OIL**

SAE GRADE **15W-40 20W-50 20W-60**

Easel Mineral Engine Oil is the ideal choice for mixed fleet operations, meticulously crafted with premium base stocks and specialized additives to deliver peak performance and protection for diesel engines. Tailored for use in both diesel and naturally aspirated gasoline engines found in trucks and passenger cars, Easel ensures reliable operation even under the harshest driving conditions. With its superior thermal stability, Easel remains steadfast at high temperatures, providing unmatched assurance for your engine's longevity and efficiency.



**Performance Levels (Meets & Exceeds):**

- API CF/SF
- ACEA E2-96/A3/B3
- MB 228.2
- MIL-L-2104E
- CAT T0-2
- MAN 270
- MTU TYPE 1
- ALLISON C4

**API CD/SF**

**MINERAL OIL**

SAE GRADE **SAE 40 SAE 50 SAE 70**

Ease: your ultimate solution for heavy-duty mineral diesel engines. Crafted from premium quality base stocks and fortified with an advanced multi-functional additive system, Ease redefines performance and reliability. Experience unparalleled protection with Ease. Safeguard your engine against rust and corrosion while maintaining optimal thermal and oxidation stability. Say goodbye to sludge buildup and deposits as Ease efficiently controls their formation. With Ease by your side, equipment life is prolonged, and maintenance costs are minimized. Trust in Ease to elevate your engine's performance and ensure smooth operations every mile of the way.



**Performance Levels (Meets & Exceeds):**

- API CD/SF
- MIL-L-2104D
- CAT T0-2

Available Pack:

12x1L

6x4L

4x5L

20L

25L

60L

200L

208L



**API SP**

**FULLY SYNTHETIC**

**SAE GRADE**

**0W20 0W-30 0W-40 5W-30 5W-40**

Easel sounds like a top-tier choice for maintaining the peak performance of modern high-output engines. Its focus on providing superior engine protection through ultra-pure base oils and advanced additives is commendable. The improved oxidation resistance and deposit protection are particularly crucial for ensuring the longevity of the engine, especially in high-stress conditions. Additionally, the emphasis on low-temperature performance and fuel economy is a testament to its versatility and efficiency across various driving conditions. Overall, Easel seems to be a reliable companion for anyone seeking optimal performance and longevity from their vehicle's engine.



**Performance Levels (Meets & Exceeds):**

- API SP (RC) / SN PLUS (RC)
- ILSAC GF-6B GF-6A
- GM DEXOS1 GEN2
- CHRYSLER MS6395
- FORD - 947-B1 962-A

**API SP**

**SEMI SYNTHETIC**

**SAE GRADE**

**10W-30 10W40**

Easel's semi-synthetic formulation represents a top-tier choice for maintaining peak performance in modern, high-output engines. Its blend of ultra-pure base oils and advanced additives offers superior engine protection, crucial for longevity, especially under high-stress conditions. With enhanced oxidation resistance and deposit protection, Easel ensures your engine remains clean and efficient over time. Its focus on low-temperature performance ensures smooth starts even in cold weather, while also contributing to fuel economy during everyday driving. Easel's versatility and efficiency make it a reliable companion for drivers seeking optimal engine performance and longevity.



**Performance Levels (Meets & Exceeds):**

- API SP (RC) / SN PLUS (RC)
- ILSAC GF-6B GF-6A
- GM DEXOS1 GEN2
- CHRYSLER MS6395
- FORD - 947-B1 962-A

**API SP**

**MINERAL OIL**

**SAE GRADE**

**15W-40 20W-50 20W-60**

Easel stands out as a top-tier choice for maintaining peak performance in modern, high-output engines. Its formulation, enriched with high-quality mineral base oils and advanced additives, offers reliable engine protection essential for longevity, especially in demanding conditions. With its improved oxidation resistance and deposit protection, Easel ensures your engine remains clean and efficient throughout its lifespan. It provides robust performance even in extreme temperatures, ensuring smooth starts and consistent operation in varying weather conditions. While prioritizing engine protection, it also helps optimize fuel economy, making it a trusted companion for drivers seeking dependable performance and durability from their vehicle's engine.



**Performance Levels (Meets & Exceeds):**

- API SP (RC) / SN PLUS (RC)
- ILSAC GF-6B GF-6A
- GM DEXOS1 GEN2
- CHRYSLER MS6395
- FORD - 947-B1 962-A

**Available Pack:**

12x1L

6x4L

4x5L

20L

25L

60L

200L

208L



**API SN/CF**

**FULLY SYNTHETIC**

**SAE GRADE**

**0W20 0W-30 0W-40 5W-30 5W-40**

Easel is a premium quality high-performance fully synthetic engine oil designed to help deliver outstanding engine protection in recent cars fitted with gasoline and diesel engines, naturally aspirated or turbo-charged, indirect or direct injection. It meets the requirements of the latest industry standards for "Full SAPS" passenger car lubricants and outperforms conventional oils. This oil is designed to provide improved oxidation resistance, improved deposit protection, better wear protection, and excellent low-temperature performance over the life of the oil.



**Performance Levels (Meets & Exceeds):**

- API SN/CF
- ACEA A3/B4
- ACEA A1/B1
- Porsche A40
- MB 226.5/229.3/229.5
- Renault RN0700/RN0710
- VW 501 01 / 502 00 / 505 00
- OPEL GM-LL-B-025
- PSA B71 2296 (5W-40)
- Ford WSS-M2C937-A
- Ford WSS-M2C937-A(0W-40)
- Land Rover STJLR 03.5004 (5W-20)

**API SN/CF**

**SEMI SYNTHETIC**

**SAE GRADE**

**10W-30 10W40**

Easel is a high-performance oil that is formulated from quality base stocks combined with modern performance additives to give your engine the protection and the performance you expect under a wide variety of operating conditions. It is recommended for all high-performance gasoline engine cars equipped with direct-injection, multi-valve & turbo-charger technologies.



**Performance Levels (Meets & Exceeds):**

- API SN/CF
- ACEA A3/B3/B4
- MB 229.5/229.3/226.5
- Renault RN0700/RN0710

**API SN/CF**

**MINERAL OIL**

**SAE GRADE**

**15W-40 20W-50 20W-60**

Easel mineral oil is formulated from quality base stocks combined with modern performance additives to give your engine the protection and the performance you expect under a wide variety of operating conditions. It is recommended for all high-performance gasoline engine cars equipped with direct-injection, multi-valve & turbo-charger technologies.



**Performance Levels (Meets & Exceeds):**

- API SN/CF
- ACEA A3/B3/B4
- MB 229.5/229.3/226.5
- Renault RN0700/RN0710

**Available Pack:**

12x1L

6x4L

4x5L

20L

25L

60L

200L

208L



**API SM/CF**

**FULLY SYNTHETIC**

SAE GRADE

**0W20 0W-30 0W-40 5W-30 5W-40**

Easel is an advanced, fully synthetic engine oil that incorporates anti-wear protection, as well as protection against sludge and deposit formation. This multi-grade oil meets the API quality requirement (SM) for gasoline engine passenger cars, sport utility vehicles, vans, and light trucks. It is designed to provide improved oxidation resistance, improved deposit protection, better wear protection, and better low-temperature performance over the life of the oil.



**Performance Levels (Meets & Exceeds):**

- API SM/CF
- ACEA A3/B3
- ACEA A1/B1 (HTHS <3.5)
- VW 501 01 / 505 00
- RN 700, RN 710
- MB 229.3

**API SM/CF**

**SEMI SYNTHETIC**

SAE GRADE

**10W-30 10W40**

Easel is a premium quality, semi synthetic engine oil blended to help deliver outstanding engine protection and enhanced fuel economy. This oil is formulated to provide improved oxidation resistance, improved deposit protection, better wear protection, and excellent low-temperature performance over the life of the oil.



**Performance Levels (Meets & Exceeds):**

- API SM/CF
- ACEA A3/B3
- ACEA A1/B1 (HTHS <3.5)
- VW 501 01 / 505 00
- RN 700, RN 710
- MB 229.3

**API SM/CF**

**MINERAL OIL**

SAE GRADE

**15W-40 20W-50 20W-60**

Easel oil is designed to provide improved oxidation resistance, improved deposit protection, better wear protection, and better low-temperature performance over the life of the oil. This oil is blended from high-quality base stocks combined with a modern performance additives system to give your engine protection and the performance you expect under a wide variety of operating conditions.



**Performance Levels (Meets & Exceeds):**

- API SM/CF
- ACEA A3/B3
- ACEA A1/B1 (HTHS <3.5)
- VW 501 01 / 505 00
- RN 700, RN 710
- MB 229.3

**Available Pack:**

12x1L

6x4L

4x5L

20L

25L

60L

200L

208L



**API SL/CF**

**FULLY SYNTHETIC**

SAE GRADE

**0W20 0W-30 0W-40 5W-30 5W-40**

Easel is a premium quality, fully synthetic engine oil blended from a high-performance additives system that actively helps keep the engine clean. It allows the product to provide higher levels of cleansing and protection. This oil is particularly suitable for turbo-compressed, multi-valve, and direct-injection engines. It meets the most difficult conditions of use (motorway, heavy urban traffic, etc.) during all seasons.



**Performance Levels (Meets & Exceeds):**

- API SL/CF
- ACEA A3/B3
- A5/B5(5W-20)
- MB 229.3 / 226.5
- RENAULT RN 0700/0710
- VW 501.01/505

**API SL/CF**

**SEMI SYNTHETIC**

SAE GRADE

**10W-30 10W40**

Easel is an advanced, semi synthetic engine oil blended using the advanced additives system that actively helps keep the engine clean. It allows the product to provide higher levels of cleansing and protection. This oil is particularly suitable for turbo-compressed, multi-valve, and direct-injection engines. It meets the most difficult conditions of use (motorway, heavy urban traffic, etc.) during all seasons.



**Performance Levels (Meets & Exceeds):**

- API SL/CF
- ACEA A3/B3
- A5/B5(5W-20)
- MB 229.3 / 226.5
- RENAULT RN 0700/0710
- VW 501.01/505

**API SL/CF**

**MINERAL OIL**

SAE GRADE

**15W-40 20W-50 20W-60**

Easel is a high-performance mineral oil for gasoline and diesel engines, which is designed to be used in all operating conditions (city traffic, road, and motorways). It is particularly suited to turbo-charged engines and perfectly adapted to vehicles equipped with catalysts and using unleaded fuel.



**Performance Levels (Meets & Exceeds):**

- API SL/CF
- ACEA A3/B3
- A5/B5(5W-20)
- MB 229.3 / 226.5
- RENAULT RN 0700/0710
- VW 501.01/505

Available Pack:

12x1L

6x4L

4x5L

20L

25L

60L

200L

208L



**API SJ/CF**

**MINERAL OIL**

**SAE GRADE** 15W-40 20W-50 20W-60

Easel is mineral engine oil is a premium quality, multi-grade oil blended with highly refined base stocks and premium additive technology which helps deliver outstanding engine protection and prevents the buildup of dirt and sludge in older engines operating in all driving conditions on highways and in the city.



**Performance Levels (Meets & Exceeds):**

- API SJ/CF

**API SG/CF**

**MINERAL OIL**

**SAE GRADE** 15W-40 20W-50 20W-60

Easel is mineral engine oil is an advanced, multi-grade oil engineered with highly refined base stocks and premium additive technology which helps deliver outstanding engine protection and prevent the buildup of dirt and sludge in older engines operating in all driving conditions on highways and in the city.



**Performance Levels (Meets & Exceeds):**

- API SG/CF

**API SF/CD**

**MINERAL OIL**

**SAE GRADE** 15W-40 20W-50 20W-60

Easel is blended with high quality, mineral base stock and an advanced additive system to be used for passenger cars, light trucks as well as farm equipment, especially where a single type of oil is preferred. This oil contains inhibitors to combat acid formation, oxidation, and foaming.



**Performance Levels (Meets & Exceeds):**

- API SF/CD

**Available Pack:**

12x1L

6x4L

4x5L

20L

25L

60L

200L

208L



**API SN**

**FULLY SYNTHETIC**

**SAE GRADE**

**5W-40 10W-40 10W-50 10W-60 15W-50**

Easel is a high-performance engine oil blended specifically to meet the demanding needs of motorcycle engines. It is primarily for on-road, high-performance, 4-cycle sport bikes, however, it may be used in other types of on and off-road 4-cycle motorcycles. It is formulated to help offer outstanding protection in 4-cycle, V-Twin type engines, particularly those which are air-cooled and tend to run hotter than other types of engines. Rider 4T XP provides excellent performance in common engine/transmission lubrication systems or where the engine lubrication system is separate from the transmission system.



**Performance Levels (Meets & Exceeds):**

- API SN
- JASO MA2

**API SL**

**SEMI SYNTHETIC**

**SAE GRADE**

**10W-40 10W-50 10W-60 15W-50**

Easel is an advanced, high-quality engine oil blended for 4-stroke motorcycles. It is based on premium quality base oils and advanced additives to bring out the best in your machine. This product is designed to ensure maximum power and performance, even under the most demanding riding conditions. Its anti-friction formulation is proven to increase acceleration compared to conventional motorcycle oils. It protects the engine, clutch, and gears and allows the best functionality of these three critical areas of the motorcycle.



**Performance Levels (Meets & Exceeds):**

- API SL
- JASO MA2

**API TC**

**MINERAL OIL**

**SAE GRADE**

**SAE-20 SAE-30**

Easel is 2T blended to provide high performance in 2-stroke engines like motorcycles, scooters, and mopeds. Its composition is perfectly compatible with lead-free fuels. This is a high-technology product combining a perfect balance of highly refined base stocks and the latest additives technology. It is specially formulated for use in oil injected as well as premixed gasoline/oil-lubricated engines. Its increased performance provides protection against exhaust emissions and engine carbon deposits.



**Performance Levels (Meets & Exceeds):**

- API TC
- JASO FD

**Available Pack:**

12x1L

24x1L

60L

200L

208L



### CVT

**FULLY SYNTHETIC**

Easel Dynatec CVT is an advanced, fully synthetic, high performance, multi-vehicle transmission fluid for passenger cars and vans. It is a well-balanced fluid that provides exceptional metal-to-metal frictional properties to help prevent belt and chain slipping and help extend transmission life. It provides superior wet-clutch performance for outstanding anti-shudder durability and reduced noise, vibration, and harshness.



#### Performance Levels (Meets & Exceeds):

- CHRYSLER/DODGE/JEEP NS-2/CVT +4
- Mazda CVTF 3320
- BMW MINI COOPER EZL799/799A/ZF CVT V1
- DAIHATSU TC
- Nissan NS-1, NS-2, NS-3
- Toyota/Lexus TC, FE
- Honda HMMF / HCF-2 / Z1
- AUDI MULTITRONIC
- GM DEX-CVT
- HYUNDAI/KIA CVT-J1 / SP-III
- IDEMITSU CVTS-EX1
- SHELL GREEN IV
- Ford CVT23, CVT30, WSS-M2C933-A
- DAIHATSU AMMIX DC/DFC/CVTF-DFE
- MB 236.2
- Mitsubishi DiaQueen CVTF-J1/CVTF-J4/SP-III
- Audi/VW TL 52180, G 052 180, G 052 516
- PUNCH CVT
- Suzuki CVTF 3320, TC, NS-2, CVTF Green1, CVTF Green 2
- VAG TL 521 16 (G052 516) / TL 521 80 (G 052 180 A2)
- SUBARU ECVT/iCVT/iCVT FG/NS2/LINEARTRONIC II/HIGH TORQUE LINEARTRONIC

### DEXRON VI

**FULLY SYNTHETIC**

Easel DEXRON VI is a premium quality, fully synthetic transmission fluid recommended for use in passenger cars and light truck automatic transmissions that require a GM Dexron VI or earlier generation fluid. Transmissions include the following Aisin Warner models: AW TF-80SC/SD, AWF21, AF40-6, AM6, AW6A-EI, TF81SC, AF21, GA6F21WA (Mini).



#### Performance Levels (Meets & Exceeds):

- ISUZU BESCO ATF II, ATF III
- ZF 5HP 30
- JAGUAR ATF 3403 M115, JLM 20238
- VOLVO T-IV
- AUDI/VW G-052-162-A1/A2
- LT 71141
- ZF 5HP 18FL/19FL/24A
- MAZDA ATF M III
- CHRYSLER M1375.4
- MERCON LV
- MITSUBISHI DIAMOND SP-IV
- PEUGEOT ZF 4 HP20
- PORSCHE ATF 3403-M115
- SUBARU ATF, ATF HP
- TOYOTA TYPE T-III, T-I
- TOYOTA WS
- VOITH 55.6635 / VOLVO 97340
- ZFF TE-ML 09
- BMW P/N 833227542290
- CITROEN P/N PR 9980
- SAAB P/N 93165147
- AS 68RC (T IV)
- JWS 3309, JWS 3324, T-IV, AW-1, NWS 9638
- MB ZF 4 HP20, 236.1/5/6/7/8/9/236.41
- GENERAL MOTORS DEXRON II/III/IIH/VI
- HONDA ACURA Z-1 PREMIUM, HONDAMATIC S
- TOYOTA P/N 08886-02305/08886-81015
- FIAT (ALL VEHICLES) TYPO T-IV
- HYUNDAI / KIA SP IV, HYUNDAI SPH-IV
- BMW ETL-7045, 7045E, LA2634, ETL-8072B, 81 22 9 400 275

Available Pack:

12x1L

24x1L

60L

200L

208L





### DEXRON IIIIG

**SYNTHETIC**

Easel Dexron III is a high-performance, fully synthetic, automatic transmission fluid blended with premium, severely hydro-processed base stocks and additives that helps provide oxidation and thermal stability, friction control, load-carrying ability, corrosion, and wear protection. It also helps protect against the formation of deposits, sludge, varnish, and foam and provides outstanding durability.

**Performance Levels (Meets & Exceeds):**

- GM DEXRON IIIIG, IIIH
- ZF TE-ML 14A, 03D, 04D, 17C, 09C
- VOITH H55.6335.xx
- VOITH 55.6336.3x
- MAN 339 TYPE V1/Z1/V2/Z2
- MB 236.9/236.1/236.5/236.6/236.10
- ALLISON TES-389
- VOLVO 97340, 97341
- FORD M, FORD TASA
- ALLISON C4



### DEXRON II

**SYNTHETIC**

Easel Dexron II is an automatic transmission oil formulated with premium quality base stocks and one of the latest additives technologies. It is used in passenger cars and light commercial vehicles. It helps reduce transmission "chatter" assuring a smooth and quiet operation at all speeds under any working condition. This product provides optimal oxidation and thermal stability, friction control, cleanliness, load-carrying ability, and wear and corrosion protection to ensure the longest life of your transmission

**Performance Levels (Meets & Exceeds):**

- CHRYSLER +3
- TASA
- CAT T0-2
- TOYOTA TII/2
- VOLVO CE 97340/41
- GM DEXRON IID/IIIE
- VOITH H55.6335
- MAN 339 TYPE L1/L2/Z1/V1
- MB 236.1/236.5/236.7/236.8
- OPEL 19 40 700 / 19 40 707
- MITSUBISHI SP / SP2/ BTR
- ALLISON TES 389, ALLISON TES 228(C4)



### TYPE A

**MINERAL**

Easel Type A transmission fluid designed to meet the requirements of automatic gearboxes specifying GM Type A Suffix A fluid. Its formulation appears to prioritize smooth operation, particularly in torque converters and fluid couplings, which are critical components of automatic transmissions. This emphasis on smooth operation suggests that Dynatec 1 likely minimizes friction and ensures efficient power transfer within the transmission system.

**Performance Levels (Meets & Exceeds):**

- GM Type A Suffix A



Available Pack:

12x1L

24x1L

60L

200L

208L

### API GL-5

**FULLY SYNTHETIC**

SAE GRADE **75W-80 75W-85 75W-90**

Easel Spiral Transmax is a multipurpose axle oil that may be used in differentials, final drives, and other applications in passenger cars and commercial vehicles where API GL-5 performance is required. It is a superior sulfur-phosphorus, extreme pressure gear lubricant formulated with high-performance base stocks, friction modifiers, and corrosion inhibitors, meeting the requirements of API GL-5 as well as many other manufacturer specifications. This oil is formulated to produce a superior gear lubricant with extreme pressure characteristics and thermal stability for automotive applications over a wide range of temperatures and heavy-duty conditions.



**Performance Levels (Meets & Exceeds):**

- API GL-5
- MB 239.72/239.71/235.74/235.7
- MIL MIL-L-2105D
- ZF TE-ML 18
- VW TL -45 521X (G 145 052 A1) 45 521X (G145 052 AZ) TL 90 521 (G190 052 A2/G 190 055 A2)

### API GL-4

**SEMI SYNTHETIC**

SAE GRADE **80W-90 85W-90 85W-140**

Easel is a premium quality gear oil formulated using the latest technology for gearbox applications. It is blended from solvent-refined mineral base oils and selected sulphur and phosphorous chemical additives. Due to its high shear stability, it provides excellent protection for gears and can be used over a wide range of temperatures.



**Performance Levels (Meets & Exceeds):**

- API GL-4
- PSA B2330 71
- PSA 9730 A8
- FORD WSD-M2C-200D
- FORD ESD-M2C-186A
- GM 1940182
- HONDA MTF 94
- VOLVO 97310/97309/97308
- NISSAN MT-XZ

### API SF/CD

**MINERAL OIL**

SAE GRADE **SAE 90 SAE 140**

Easel GL-1 is a rust and oxidation-inhibited oil that is recommended for many automotive and industrial equipment where the equipment manufacturer recommends the use of straight mineral oil with SAE viscosity grades 90 or 140. This product is also suitable for the lubrication of many types of equipment where copper or bronze is present and susceptible to attack by oils containing sulfur-phosphorus compounds.



**Performance Levels (Meets & Exceeds):**

- API: GL-1

Available Pack:

12x1L 6x4L 4x5L 20L 25L 60L 200L 208L



### DOT 5.1

**FULLY SYNTHETIC**

Easel 5.1 is an advanced quality fully synthetic polyglycol-based, non-silicone, DOT 5.1 brake fluid blended for all driving conditions and brake systems, including disc, drum, and anti-skid (ABS) applications. It has excellent viscosity-temperature properties over a very high and low-temperature range. It ensures advanced performance and system protection.



**Performance Levels (Meets & Exceeds):**

- FMVSS 116 DOT 5.1
- ISO 4925 (Class 5.1)

### DOT 4

**FULLY SYNTHETIC**

Easel DOT 4 is blended from high molecular weight polyethylene glycol ethers and borate esters, to give a high boiling point fluid of DOT 4 quality. It contains inhibitors to prevent the corrosion of metallic brake components and to reduce oxidation at increased temperatures. The formulation has been developed in a way that the vapour lock point can be sustained at a higher level than conventional glycol ether-based fluids during the service life of the product.



**Performance Levels (Meets & Exceeds):**

- ISO 4925 Class 6
- FMVSS 116 DOT 4
- SAE J 1704

### DOT 3

**FULLY SYNTHETIC**

Easel is a DOT 3 brake fluid based on polyglycol and is engineered for use in the hydraulic brake system of commercial vehicles, passenger cars, and motorcycles operating under moderate service conditions and requiring a DOT 3 type of fluid. It also is compatible with all seals and metals used in conventional braking systems. It provides lubrication and system protection. It also is compatible with all seals and metals used in conventional braking systems.



**Performance Levels (Meets & Exceeds):**

- FMVSS 116 DOT 3
- ISO 4925 (Class 3)
- SAE J 1703

Available Pack:

12x25mL

24x500mL

60L

200L

208L



### COOLANT 100 **100% CONCENTRATE**

EASEL Coolant / Antifreeze in its 100% concentrate form offers robust protection for your engine's cooling system. It's a phosphate-free, silicate-free, nitrite-free, and borate-free coolant, based on ethylene glycol. This concentrated formula is specially blended to deliver outstanding defense against wet sleeve liner cavitation and corrosion, safeguarding all metals within your cooling system. Formulated with organic corrosion inhibitors, it ensures comprehensive protection for both on-road and off-road applications, offering peace of mind and prolonged engine life.



#### Performance Levels (Meets & Exceeds):

- BS 6580
- ASTM D3306
- SAE J1034, J1038
- Cummins 90T8-4
- CAT ELC (EC-1)
- Detroit Diesel 7SE298
- GM 1825, 1899M, 6277M
- TMC RP329
- Freightliner 48-22880

### COOLANT 50 **50% CONCENTRATE**

EASEL Coolant / Antifreeze in its 50% concentrate form delivers reliable performance for your engine's cooling system. This formulation maintains its phosphate-free, silicate-free, nitrite-free, and borate-free characteristics, based on ethylene glycol. Specifically crafted to combat wet sleeve liner cavitation and corrosion, it provides robust protection for all metals within the cooling system. Enhanced with organic corrosion inhibitors, it ensures thorough safeguarding for on-road and off-road use, promoting engine longevity and efficiency.



#### Performance Levels (Meets & Exceeds):

- BS 6580
- ASTM D3306
- SAE J1034, J1038
- Cummins 90T8-4
- CAT ELC (EC-1)
- Detroit Diesel 7SE298
- GM 1825, 1899M, 6277M
- TMC RP329
- Freightliner 48-22880

### COOLANT 33 **33% CONCENTRATE**

EASEL Coolant / Antifreeze in its 33% concentrate form is a balanced solution for your engine's cooling needs. Retaining its phosphate-free, silicate-free, nitrite-free, and borate-free composition, this formulation, based on ethylene glycol, remains steadfast in its protection against wet sleeve liner cavitation and corrosion. Infused with organic corrosion inhibitors, it extends comprehensive defense to all cooling system metals, catering to both on-road and off-road applications. With this concentration, you can trust in optimal engine performance and durability.



#### Performance Levels (Meets & Exceeds):

- BS 6580
- ASTM D3306
- SAE J1034, J1038
- Cummins 90T8-4
- CAT ELC (EC-1)
- Detroit Diesel 7SE298
- GM 1825, 1899M, 6277M
- TMC RP329
- Freightliner 48-22880

Available Pack:

12x1L 6x4L 4x5L 20L 25L 60L 200L 208L

### HYDRAULIC FLUID **MINERAL**

SAE GRADE 32 46 68 100 220

EASEL is an advanced quality hydraulic fluid blended with premium mineral oil base stock and enhanced with an advanced additive package. Its excellent oxidation resistance delivers good performance at higher temperatures and extended operating intervals. It has a high load-carrying capacity and provides good protection against corrosion, foaming, and sludge building. Good anti-wear performance prevents wear of internal components and reduces downtime.



#### Performance Levels (Meets & Exceeds):

- DIN 51524-2 HLP
- VICKERS I-286-S, M-2950-S
- DENISON HF-1, HF-2, HF-0
- B.F. GOODRICH 0152
- FORD M-6C 32
- AFNOR E 48-603
- CINCINNATI MILACRON P-68 (ISO 32), P-69 (ISO 68), P-70 (ISO 46)
- LEE NORSE 100-1

### COMPRESSOR OIL **MINERAL**

SAE GRADE 32 46 68 100 220

EASEL is an advanced performance ash-less air compressor lubricant blended to meet the stringent requirements of the major compressor manufacturers. It is designed with high-quality mineral base oils and a high-performance additive system designed to provide exceptional equipment protection and reliability for compressors operating under mild to severe conditions. It provides excellent wear protection and the ability to reduce maintenance costs by minimizing equipment problems and downstream deposits and carryover



#### Performance Levels (Meets & Exceeds):

- DIN 51506 VDL

### REFRIGERATION OIL **MINERAL**

SAE GRADE 32 46 68 100 220

EASEL is premium quality naphthenic oils, blended for use in refrigeration compressors. REF refrigeration oils are recommended for use in refrigeration compressors and other low-temperature applications, including air conditioning systems. They are recommended for other extremely low temperature applications requiring low temperature fluidity at flow points of -50°F or lower. They are not recommended for use with hydrofluorocarbons (HFC) such as R-134A.



#### Performance Levels (Meets & Exceeds):

- DIN 51503 KAA, KC and KE
- Naphthenic oil without additives

Available Pack:

20L 25L 60L 200L 208L



### LITHIUM GREASE

MINERAL

NLGI GRADE 1 2 3

EASEL is a general-purpose lubricating grease based on Lithium Hydroxystearate soap thickener and high-quality mineral base oil. This grease contains antioxidants, rust, corrosion inhibitors, and anti-wear additives. The product is recommended for the lubrication of rolling element bearings, electric motor bearings, water pumps, and sealed-for-life bearings. NLGI 1 and NLGI 2 are designed for general industrial lubrication which can be used through centralized lubrication systems operating at normal temperatures. SLIXO LC-MP has been fortified with Ca-12 Hydroxy stearate thickener to offer enhanced water resistance and mechanical stability



### CALCIUM GREASE

MINERAL

NLGI GRADE 1 2 3

Easel calcium mp lubricating grease is available in NLGI 2 and NLGI 3 consistencies. It offers excellent water resistance and provides strong protection against corrosion. Ideal for a wide range of applications, it ensures long-lasting lubrication even in moist environments. The grease also maintains its stability under high pressure and temperature conditions. Its superior performance enhances the longevity and efficiency of mechanical components.



Available Pack:

24x500gms 12x1kg 15kg 16kg 20kg 60kg 200kg 220kg

## WHITE OIL AND PETROLEUM JELLY

### WHITE MINERAL OIL

Easel white Oils are made from hydro-cracked oils with highest purity and are stabilized with suitable additives for oxidation/UV stability. These white oils are suitable for Pharmaceutical, Cosmetics and Food Industries, for Direct & Indirect Food Contact. This oils are also recommended for Polystyrene & Thermoplastic industries.



GRADE WPJ 48 WPJ 50 WPJ 52 WPJ 54 YPJ

### PETROLEUM JELLY

Easel Petroleum Jelly are manufactured from blends of waxes & pure oils. Because of its purity it is widely used as base for Ointments, Salves, Veterinary and Cosmetics applications. It is also used extensively in Food Processing, Plastics, Rubber, Tobacco, Paper and Rope Industries.



GRADE WMO 8 WMO 15 WMO 20 WMO 30 WMO 40 WMO 50 WMO 60 WMO 70 WMO 80

Available Pack:

60L 200L 208L





# EASEL



Available Pack: